

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : CITRACLEAN HP
 Product code : CCHP
 UFI Number : 71C8-W025-F00F-3TH5
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
 Industrial/Professional use spec : For professional use only
 Use of Substance/Mixture : Heavy duty cleaner for removal of oil, tar, carbon & bitumen

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bio-Productions
 72 Victoria Road
 Burgess Hill - United Kingdom
 T 0044 (0) 1444 244000 - F 0044 (0) 1444 244999
technical@bio-productions.com - www.bio-productions.com

1.4. Emergency telephone number

Emergency number : 0044 (0) 1444 244000 (office hours only)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314
 Sensitisation — Skin, Category 1 H317
 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger
 Hazardous ingredients : sodium hydroxide, caustic soda; (R)-p-mentha-1,8-diene, d-limonene
 Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H411 - Toxic to aquatic life with long lasting effects
 Precautionary statements (CLP) : P102 - Keep out of reach of children
 P260 - Do not breathe fume, gas, mist, spray, vapours
 P264 - Wash hands, forearms and face thoroughly after handling

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

P280 - Wear protective gloves, protective clothing, eye protection, face protection
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER, a doctor
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P391 - Collect spillage

P501 - Dispose of contents/container to an approved waste disposal plant

Detergent Regulation: Labelling of contents

Contents: Anionic surfactants, Non-ionic surfactants 5-15%

Orange Terpenes, d-Limonene

Sodium hydroxide

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene, d-limonene (Note C)	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	10 - 30	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6 (REACH-no) 01-2119457892-27	5 - 10	Met. Corr. 1, H290 Skin Corr. 1A, H314
Benzenesulfonic Acid, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH TRIETHANOLAMINE	(EC no) 939-464-2	3 - 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Amides, C8-18 (even numbered) and C18-unsatd., N, N- bis(hydroxyethyl)	(EC no) 931-329-6 (REACH-no) 01-2119490100-53	3 - 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
ISOTRIDECANOL ETHOXYLATE (EO 6 - 20)	(CAS No) 24938-91-8	5 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohols C9-11, ethoxylated		1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
DISODIUM LAURIMINODIPROPIONATE	(CAS No) 3655-00-3 (EC no) 222-899-0	1 - 3	Eye Irrit. 2, H319
Sodium Laureth Sulfate	(CAS No) 68891-38-3 (EC no) 500-234-8 (REACH-no) 01-2119488639-16	0.1 - 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6 (REACH-no) 01-2119457892-27	(0.5 =<C < 2) Skin Irrit. 2, H315 (0.5 =<C < 2) Eye Irrit. 2, H319 (2 =<C < 5) Skin Corr. 1B, H314 (C >= 5) Skin Corr. 1A, H314
Sodium Laureth Sulfate	(CAS No) 68891-38-3 (EC no) 500-234-8 (REACH-no) 01-2119488639-16	(5 =<C < 10) Eye Irrit. 2, H319 (C >= 10) Eye Dam. 1, H318

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately.

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Serious damage to eyes.
Symptoms/injuries after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: The product is not flammable. Use extinguishing agent suitable for surrounding fire. Foam. Water spray. Dry powder. Carbon dioxide.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume, gas, mist, spray, vapours.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe fume, gas, mist, spray, vapours. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
--------------------	---

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium hydroxide, caustic soda (1310-73-2)

United Kingdom	Local name	Sodium hydroxide
----------------	------------	------------------

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

sodium hydroxide, caustic soda (1310-73-2)		
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Orange/Brown
Odour	: Characteristic.
Odour threshold	: No data available
pH	: 13 - 14
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.05
Solubility	: Soluble in water. Miscible with water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Oxidising solids Not applicable.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Reducing agents.

10.6. Hazardous decomposition products

On burning: release of carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Sodium Laureth Sulfate (68891-38-3)	
LD50 oral	4100 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Alcohols C9-11, ethoxylated	
LD50 oral	300 - 2000 mg/kg
LD50 dermal	> 2000 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 13 - 14

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 13 - 14

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

sodium hydroxide, caustic soda (1310-73-2)	
LC50 fish 1	125 mg/l
EC50 other aquatic organisms 1	> 33 mg/l EC50 waterflea (48 h)

ISOTRIDECANOL ETHOXYLATE (EO 6 - 20) (24938-91-8)	
LC50 fish 1	1 - 100 mg/l
EC50 Daphnia 1	1 - 100 mg/l

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	
LC50 fish 1	2.4 mg/l
EC50 other aquatic organisms 1	3.2 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	18.6 mg/l IC50 algea (72 h) mg/l

Sodium Laureth Sulfate (68891-38-3)	
LC50 fish 1	7.1 mg/l
EC50 other aquatic organisms 1	7.2 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	27 mg/l IC50 algea (72 h) mg/l

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

12.2. Persistence and degradability

CITRACLEAN HP

Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1760
UN-No. (IMDG)	: 1760
UN-No. (IATA)	: 1760
UN-No. (ADN)	: 1760
UN-No. (RID)	: 1760

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S. (Contains Sodium Hydroxide 15%)
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (ADN)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (RID)	: CORROSIVE LIQUID, N.O.S.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830



IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C9

Special provisions (ADR) : 274

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T11

Portable tank and bulk container special provisions (ADR) : TP2, TP27


Tank code (ADR) : L4BN

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

- Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T11
Tank special provisions (IMDG) : TP2, TP27
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : B
Stowage and handling (IMDG) : SW2

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C9
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C9
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T11
Portable tank and bulk container special provisions (RID) : TP2, TP27
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Changes from Previous version:

- UFI number added in section 1.1
- P-Statements added in Section 2.2

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai
SDS	Safety Data Sheet

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
H226	Flammable liquid and vapour
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

CITRACLEAN HP

Safety Data Sheet

according to Regulation (EU) 2015/830

H412	Harmful to aquatic life with long lasting effects
------	---

SDS EU (Reach Annex II) GREEN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product