

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 30/01/2018 Version: 2.0. For changes from version 1.0, please see section 16

SECTION 1: Identif	ication of the substance/mix	ture and of the company/undert	taking	
1.1. Product i		ture and of the company/under		
Product form	uentinei	: Mixture		
Trade name	-	: HOT WATER EXTRACTION LIC		
Product code	-			
	-	: HWE		
UFI Number		: 585Q-G0W9-600X-MM4Y		
Product group	:	: Trade product		
1.2. Relevant	identified uses of the substa	ance or mixture and uses advise	ed against	
1.2.1. Relevant	identified uses			
Main use category	;	: Professional use		
Industrial/Profession	nal use spec	: For professional use only		
Use of the substanc	e/mixture	: Low foaming detergent for use v	with all types of extraction machi	nes
1.2.2. Uses adv	ised against			
No additional inform				
1.3. Details of	f the supplier of the safety da	ata sheet		
	d Kingdom 4000 - F 0044 (0) 1444 244999 <u>uctions.com</u> - <u>www.bio-product</u>			
1.4. Emergen	cy telephone number			
Emergency number	:	: 0044 (0) 1444 244000 (office he	ours only)	
Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	
2.1. Classifica Classification acco Not classified	nzards identification ation of the substance or mix ording to Regulation (EC) No. hemical, human health and e	. 1272/2008 [CLP]		
practice.		ny particular risk, provided it is har	ndled in accordance with good c	occupational hygiene and safety
2.2. Label ele				
Labelling accordin	g to Regulation (EC) No. 127	2/2008 [CLP]		
EUH-statements		: EUH210 - Safety data sheet ava	•	
Precautionary stater	autionary statements (CLP) : P102 - Keep out of reach of children P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P301+P312 - IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell		on	
Detergent Regulatio	etergent Regulation: Labelling of contents Contains: Non-ionic surfactants <5% Perfumes			
2.3. Other haz	zards			
No additional inform	ation available			
SECTION 21 Co	omposition/information			
3.1. Substanc		on ingredients		

3.2. Mixture

Safety Data Sheet

according to Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-methoxy-2-propanol, monopropylene glycol methyl ether	(CAS No) 107-98-2 (EC no) 203-539-1 (EC index no) 603-064-00-3 (REACH-no) 01-2119457435-35	1 - 10	Flam. Liq. 3, H226 STOT SE 3, H336
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First aid measures general	: If you feel unwell, seek medical advice (show the label where possible)
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First aid advice Ingestion	: Do not give anything by mouth to an unconscious person. Wash mouth out with water, then drink pleanty of water. Do NOT induce vomiting.
4.2. Most important symptoms and effe	cts, both acute and delayed
No additional information available	
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: The product is not flammable. Use extinguishing agent suitable for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the su	ubstance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
	quipment and emergency procedures
6.1.1. For non-emergency personnel	· Ventilete spillege erze
Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the
	product.

Safety Data Sheet

according to Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1-methoxy-2-propanol	, monopropylene glycol methyl ether (107-98	-2)
EU	Local name	1-Methoxypropanol-2
EU	IOELV TWA (mg/m ³)	375 mg/m³
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m ³)	568 mg/m ³
EU	IOELV STEL (ppm)	150 ppm
EU	Notes	Skin
United Kingdom	Local name	1-Methoxypropan-2-ol
United Kingdom	WEL TWA (mg/m ³)	375 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m ³)	560 mg/m ³
United Kingdom	WEL STEL (ppm)	150 ppm
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
propan-2-ol, isopropyl	alcohol, isopropanol (67-63-0)	
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m ³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Colour	: Green.	
Odour	: Lemon & Lime	
Odour threshold	: No data available	
рН	: 7.8 - 8	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: <0	
Boiling point	: > 100 °C	

Safety Data Sheet

according to Regulation (EU) 2015/830

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.045 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

S

SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effect	S
Acute toxicity	: Not classified
1-methoxy-2-propanol, monopropylene gly	col methyl ether (107-98-2)
LD50 oral	3739 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 26315 mg/l/4h
propan-2-ol, isopropyl alcohol, isopropanc	l (67-63-0)
LD50 oral rat	5840 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	13900 mg/kg
LD50 dermal rabbit	12870 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l/4h
LC50 inhalation rat (Vapours - mg/l/4h)	72.6 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 7.8 - 8
Serious eye damage/irritation	: Not classified
	рН: 7.8 - 8
Respiratory or skin sensitisation	: Not classified

: Not classified

Safety Data Sheet

according to Regulation (EU) 2015/830

Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)		
LC50 fish 1	> 4600 mg/l	
EC50 other aquatic organisms 1	23300 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2 > 500 mg/l IC50 algea (72 h) mg/l		
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LC50 fish 1	9640 mg/l	
LC50 fish 2	11130 mg/l	
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability	
HOT WATER EXTRACTION LIQUID HW	/E
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
12.3. Bioaccumulative potential	
propan-2-ol, isopropyl alcohol, isoprop	panol (67-63-0)
Log Pow	0.05
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asses	ssment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consider	ations
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport informat	tion
In accordance with ADR / RID / IMDG / IAT	FA / ADN
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable

Proper Shipping Name (RID) 14.3. Transport hazard class(es)

30/01/2018

: Not applicable

Safety Data Sheet

ccording to Regulation (EU) 2015/830	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
IATA	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
Not applicable Transport by sea Not applicable Air transport Not applicable Inland waterway transport Not applicable Rail transport Not applicable 14.7. Transport in bulk according to	• Annex II of MARPOL and the IBC Code
Not applicable	
SECTION 15: Regulatory inform	
	ntal regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no REACH substances with Anne	ex XVII restrictions
Contains no substance on the REACH can	ididate list
Contains no REACH Annex XIV substance	25
15.1.2. National regulations No additional information available	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 16: Other information

Changes from Previous version:

- UFI number added in section 1.1
- P-Statements added in Section 2.2

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
EUH210	Safety data sheet available on request	

SDS EU (Reach Annex II) GREEN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product