

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 07/03/2018 Version: 2.0. For changes from version 1.0, please see section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : XOLA CLEAN UNIVERSAL CLEANER

Product code : AS7

UFI Number : 9KF4-N2RA-K003-S9EY

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Concentrated All Purpose Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bio-Productions 72 Victoria Road

Burgess Hill - United Kingdom

T 0044 (0) 1444 244000 - F 0044 (0) 1444 244999

technical@bio-productions.com - www.bio-productions.com

1.4. Emergency telephone number

Emergency number : 0044 (0) 1444 244000 (office hours only)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary statements (CLP) : P102 – Keep out of reach of children.

P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - IF ON SKIN: Wash with plenty of water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor

P321 - Specific treatment (see supplemental first aid instruction on this label)

07/03/2018 GB - en 1/8

Safety Data Sheet

according to Regulation (EU) 2015/830

P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one(2634-33-5). May

produce an allergic reaction

Detergent Regulation: Labelling of contents Contains: Anionic surfactants <5%; Non-ionic surfactants <5%; Phosphates <5%

pH (Concentrate) 11-12.5

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
3-butoxypropan-2-ol, propylene glycol monobutyl ether	(CAS No) 5131-66-8 (EC no) 225-878-4 (EC index no) 603-052-00-8 (REACH-no) 01-2119475527-28	5 - 10	Eye Irrit. 2, H319
Sodium xylenesulphonate	(CAS No) 1300-72-7 (EC no) 215-090-9 (REACH-no) 01-2119513350-56	3 - 5	Eye Irrit. 2, H319
SODIUM METASILICATE PENTAHYDRATE	(CAS No) 10213-79-3 (EC no) 229-912-9	0.1 - 1	Met. Corr. 1, H290 Skin Corr. 1, H314 STOT SE 3, H335
ethanediol, ethylene glycol substance with a Community workplace exposure limit	(CAS No) 107-21-1 (EC no) 203-473-3 (EC index no) 603-027-00-1 (REACH-no) 01-2119456816-28	< 0.1	Acute Tox. 4 (Oral), H302
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
Specific concentration limits:			
Name	Product identifier	Specific c	oncentration limits

Full text of H-statements: see section 16

SECTION 4: First aid measures

	4.1.	Description of first aid measures
--	------	-----------------------------------

1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

(C >= 0.05) Skin Sens. 1, H317

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Drink plenty of water. Do not induce

vomiting. Call a doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Irritation.

Symptoms/injuries after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

07/03/2018 GB - en 2/8

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : The product is not flammable. Use extinguishing agent suitable for surrounding fire. Water

spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of

fire

: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

3-butoxypropan-2-ol, propylene glycol monobutyl ether (5131-66-8)		
EU	IOELV TWA (ppm)	10 ppm
propan-2-ol, isopropyl	alcohol, isopropanol (67-63-0)	
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
ethanediol, ethylene glycol (107-21-1)		
EU	Local name	Ethylene glycol
EU	IOELV TWA (mg/m³)	52 mg/m³
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m³)	104 mg/m³
EU	IOELV STEL (ppm)	40 ppm
EU	Notes	Skin
United Kingdom	Local name	Ethane-1,2-diol
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour
United Kingdom	WEL TWA (ppm)	20 ppm vapour

07/03/2018 GB - en 3/8

Safety Data Sheet

according to Regulation (EU) 2015/830

ethanediol, ethylene glycol (107-21-1)		
United Kingdom	WEL STEL (mg/m³)	104 mg/m³ vapour
United Kingdom	WEL STEL (ppm)	40 ppm vapour
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Purple.
Odour : characteristic.
Odour threshold : No data available
pH : 11 - 12.5

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : Not applicable Freezing point : $< 0 \, ^{\circ}\text{C}$ Boiling point : $> 100 \, ^{\circ}\text{C}$

: No data available Flash point Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available : ≈ 1.035 g/ml Density

Solubility : Miscible with water. Soluble in water.

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : Product is not explosive.
Oxidising properties : Oxidising solids Not applicable.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

07/03/2018 GB - en 4/8

Safety Data Sheet

according to Regulation (EU) 2015/830

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Incompatible materials

Oxidizing agent. Reducing agents.

10.6. Hazardous decomposition products

On burning: release of carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Sodium xylenesulphonate (1300-72-7)

Acute toxicity : Not classified

The state of the s		
LD50 oral	> 7000 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
3-butoxypropan-2-ol, propylene glycol monobutyl ether (5131-66-8)		
LD50 oral rat	3300 mg/kg	
LD50 dermal rat > 2000		
LC50 inhalation rat (Vapours - mg/l/4h) > 3.5 mg/l/4h		
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	13900 mg/kg
LD50 dermal rabbit	12870 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l/4h
LC50 inhalation rat (Vapours - mg/l/4h)	72.6 mg/l/4h

ethanediol, ethylene glycol (107-21-1)	
LD50 oral	7712 mg/kg bodyweight
LD50 dermal	10600 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2500 mg/l/4h

1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)	
LD50 oral	1020 mg/kg bodyweight
LD50 dermal	4115 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	100 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

pH: 11 - 12.5

Serious eye damage/irritation : Causes serious eye damage.

> pH: 11 - 12.5 : Not classified

Respiratory or skin sensitisation Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

: Not classified Aspiration hazard

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

07/03/2018 GB - en 5/8

Safety Data Sheet

according to Regulation (EU) 2015/830

Sodium xylenesulphonate (1300-72-7)	
EC50 other aquatic organisms 1	> 1020 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
3-butoxypropan-2-ol, propylene glycol mono	butyl ether (5131-66-8)
LC50 fish 1	> 560 mg/l
EC50 Daphnia 1	> 1000 mg/l
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)
LC50 fish 1	9640 mg/l
LC50 fish 2	11130 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
ethanediol, ethylene glycol (107-21-1)	
LC50 fish 1	72860 mg/l
EC50 other aquatic organisms 1	> 100 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	6500 mg/l IC50 algea (72 h) mg/l
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothia	zolin-3-one (2634-33-5)
LC50 fish 1	2.18 mg/l
EC50 other aquatic organisms 1	2.94 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	0.11 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability

XOLA CLEAN UNIVERSAL CLEANER		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	

12.3. Bioaccumulative potential

propan-2-ol, isopropyl alcohol, isopropanol (6	7-63-0)
Log Pow	0.05

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

XOLA CLEAN UNIVERSAL CLEANER	
Results of PBT assessment	The product does not meet the PBT and vPvB classification criteria

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

07/03/2018 GB - en 6/8

Safety Data Sheet

according to Regulation (EU) 2015/830

14.3. Transport hazard class(es)

adr

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

07/03/2018 GB - en 7/8

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 16: Other information

Changes from Previous version:

- UFI number added in section 1.1
- P-Statements added in Section 2.2

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:

Full text of H- and EUH-stater	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
EUH208	Contains . May produce an allergic reaction

SDS EU (Reach Annex II) GREEN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

07/03/2018 GB - en 8/8